

TRU FLOOR

Roberto Paoli

Lampada da terra LED. Corpo in alluminio estruso, testate e base in alluminio pressofuso, diffusori in metacrilato opalino e trasparente.

La struttura è verniciata bianco opaco, nero opaco e grigio titanio. La sorgente LED uplight crea una luce calda e diffusa verso il soffitto, mentre il LED laterale genera una luce indiretta d'ambiente. Doppia dimmerazione.



LED 2700K

LAMPING

Sorgente	linear LED + LED board
Potenza	41W + 16W
Emissione	up + back, indirect
Regolazione	double dimming, push on board
Tensione	110/240V
Temperatura colore	2700K
Flusso Luminoso	4080lm + 2660lm
Typ cri	83
Classe energetica	A+
Materiali	aluminium + PC
Note	cable lenght 3,3m, push on board

Codes

TRU LGG 25

TRU LNN 25

TRU LWW 25

TRU LDD 25

Structure

gold painted

black/white

white/white

titan grey/white

PACKAGE


Package 01

28x26x20 cm / Gross weight: 8 Kg

Package 02

22x17x191 cm / Gross weight: 4 Kg

Certificazioni



LED 3000K

LAMPING

Sorgente	linear LED + LED board
Potenza	41W + 16W
Emissione	up + back, indirect
Regolazione	double dimming, push on board
Tensione	110/240V
Temperatura colore	3000K
Flusso Luminoso	4080lm + 2660lm
Typ cri	83
Classe energetica	A+
Materiali	aluminium + PC
Note	cable lenght 3,3m, push on board

Codes

TRU LGG 24
TRU LNN 24
TRU LWW 24
TRU LDD 24

Structure

gold painted
black/white
white/white
titan grey/white

PACKAGE

Package 01	28x26x20 cm / Gross weight: 8 Kg
Package 02	22x17x191 cm / Gross weight: 4 Kg

Certificazioni

