

AAS 38

PRODUCT FACT SHEET



AAS 38


DESIGN BY HEE WELLING & HAY, 2010

The bar stool About A Stool AAS 38 has the same capacity for transformation as the other members in the series, ranging from a minimalistic plastic stool to a more full-bodied upholstered version (AAS39). The curved backrest is balanced on an elegant rounded frame in steel, showcasing a more industrial design with a strong visual presence. Suitable for using as a bar stool in bars and restaurants, as well as at home for informal meals. Available in two heights and in a range of steel finishes, colours and upholstery options.

HIGHLIGHTS


- Part of a multi-functional family of dining and conference chairs, office chairs, bar stools, lounge chairs, tables, an ottoman and a sofa.
- Variability of shell colours and base finishes.
- Available with plastic shell, with front upholstery (AAS 38) and full upholstery (AAS 39) in a large selection of fabrics and leathers.
- Also available with moulded plywood legs.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

DIMENSIONS



LOW

WIDTH 47 CM | 18.11"
DEPTH 45 CM | 17.72"
HEIGHT 76 CM | 29.92"
SEAT HEIGHT 65 CM | 25.98"
SEAT DEPTH 35 CM | 13.78"



HIGH

WIDTH 50 CM | 19.29"
DEPTH 48 CM | 18.5"
HEIGHT 85 CM | 33.46"
SEAT HEIGHT 75 CM | 29.92"
SEAT DEPTH 35 CM | 13.78"

MATERIALS

SHELL

Injection moulded solid-coloured polypropylene seat.
Shell thickness 10 mm.

BASE

Sled base in Ø12 mm solid steel.

FOOTREST

Sled footrest in Ø12 mm solid steel.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors.
Front upholstery 10 mm foam.
CMHR foam (fire retardant).
Seat Pad with an anti-slip backside.

CONSTRUCTION

Sled base in solid steel Ø12 mm.

COUNTRY OF ORIGIN

Poland

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	WHITE POWDER COATED STEEL	STAINLESS STEEL
SHELL		 RAL 9005	 RAL 9003	
BLACK RAL 9005				
WHITE RAL 9003				
CONCRETE GREY NCS 3502-B				
CREAM WHITE RAL 9010				
SOFT BLACK RAL 9004				
PASTEL GREEN PANTONE 15-6307 TPX				
BRICK PANTONE 19-13387 TPX				
GREEN NCS 8010 G30Y				
GREY RAL 7037				
WARM RED RAL 3016				
ORANGE NSC 3560 Y70R				
KHAKI PANTONE 17-1210 TPX				
DUSTY GREEN NCS 6005 G20Y				
DUSTY BLUE PANTONE 16-4408 TPX				

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



INDOOR ADVANTAGE™ GOLD

Supports a healthy indoor environment.

Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating.

L2: Extreme use - Loading according to Test severity L2.

ANSI BIFMA X5.1-2017

American National Standard For Office

Furnishings - General Purpose Office

Chairs - Tests, Type 3.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)